

**NATIONAL
DRUG SURVEY
2014 - 2016**

Annexure 3

**References of 47 Global Drug Quality
Surveys**



Annexure 3

REFERENCES OF 47 GLOBAL DRUG QUALITY SURVEYS

REFERENCES

1. Abdo-Rabbo A, Bassili A, Atta H. The quality of antimalarials available in Yemen. *Malar J* 2005; 4: 28.
2. Aina B, Tayo F, Taylor. Quality of chloroquine dosage forms in Lagos State General Hospitals, Nigeria. *J Pharm Pharmacol* 2007; 59: 119.
3. Amin A, Snow R, Kokwaro G. The quality of sulfadoxine-pyrimethamine and amodiaquine products in the Kenyan retail sector. *J Clin Pharm Ther* 2005; 30: 559–65.
4. Atemnkeng MA, De Cock K, Plaizier-Vercammen J. Quality control of active ingredients in artemisinin-derivative antimalarials within Kenya and DR Congo. *Trop Med Int Health* 2007; 12: 68–74.
5. Basco L. Molecular epidemiology of malaria in Cameroon. XIX. Quality of antimalarial drugs used for self-medication. *Am J Trop Med Hyg* 2004; 70: 245–50.
6. Bate R, Coticelli P, Tren R, Attaran A. Antimalarial drug quality in the most severely malarious parts of Africa—a six country study. *PLoS One* 2008; 3: e2132.
7. Bate R, Tren R, Mooney L, Hess K, Mitra B, Debroy B, Attaran A. Pilot study of essential drug quality in two major cities in India. *PLoS ONE* 2009; 4: e6003.
8. CDSCO. Report on Countrywide Survey for Spurious Drugs. Central Drugs Standards Control Organisation, Directorate General of Health Services, Ministry of Health and Family Welfare. Government Of India, 2009.
9. Dondorp AM, Newton PN, Mayxay M, et al. Fake antimalarials in southeast Asia are a major impediment to malaria control: multinational cross-sectional survey on the prevalence of fake antimalarials. *Trop Med Int Health* 2004; 9: 1241–46.

10. Fadeyi I, Lalani M, Mailk N, Van Wyk A, Kaur H. Quality of the antibiotics-amoxicillin and co-trimoxazole from Ghana, Nigeria, and the United Kingdom. *Am J Trop Med Hyg.* 2015 Jun;92(6 Suppl):87-94.
11. Gaudiano MC, Di Maggio A, Cocchieri E, et al. Medicines informal market in Congo, Burundi and Angola: counterfeit and substandard antimalarials. *Malar J* 2007; 6: 22.
12. Hadi U, van den Broek P, Kolopaking EP, Zairina N, Gardjito W, Gysens IC. Cross-sectional study of availability and pharmaceutical quality of antibiotics requested with or without prescription (over the counter) in Surabaya, Indonesia. *BMC Infect Dis* 2010; 10: 203.
13. Hermentin P, Cuesta-Linker T, Weisse J, Schmidt KH, Knorst M, Scheld M, Thimme M. Comparative analysis of the activity and content of different streptokinase preparations. *Eur Heart J* 2005; 26: 933–40.
14. Hetzel MW, Page-Sharp M, Bala N, Pulford J, Betuela I, Davis TM, Lavu EK. Quality of antimalarial drugs and antibiotics in Papua New Guinea: a survey of the health facility supply chain. *PLoS One.* 2014 May 14;9(5):e96810.
15. Jande M, Ngassapa O, Kibwage I. Quality of sulfadoxine/pyrimethamine tablets marketed in Dar es Salaam, Tanzania. *East Cent Afr J Pharm Sci* 2000; 3: 20–24.
16. Kaur H, Goodman C, Thompson E, et al. A nationwide survey of the quality of antimalarials in retail outlets in Tanzania. *PLoS One* 2008; 3: e3403.
17. Khan MH, Okumura J, Sovannarith T, Nivanna N, Akazawa M, Kimura K. Prevalence of counterfeit anthelmintic medicines: a cross-sectional survey in Cambodia. *Trop Med Int Health.* 2010 May;15(5):639-44.
18. Kibwage I. Sulphadoxine/pyrimethamine tablet products on the kenyan market: quality concerns. *East Cent Afr J Pharm Sci* 2000; 3: 14–19.
19. Kyriacos S, Mroueh M, Chahine RP, Khouzam O. Quality of amoxicillin formulations in some Arab countries. *J Clin Pharm Ther* 2008; 33: 375–9.
20. Lalani M, Kaur H, Mohammed N, Mailk N, van Wyk A, Jan S, Kakar RM, Mojadidi MK, Leslie T. Substandard antimalarials available in Afghanistan: a case for assessing the quality of drugs in resource poor settings. *Am J Trop Med Hyg.* 2015 Jun;92(6 Suppl):51-8.



21. Laserson KF, Kenyon AS, Kenyon TA, Layloff T, Binkin NJ. Substandard tuberculosis drugs on the global market and their simple detection. *Int J Tuberc Lung Dis* 2001; 5: 448–54.
22. Lon CT, Tsuyuoka R, Phanouvong S, et al. Counterfeit and substandard antimalarial drugs in Cambodia. *Trans R Soc Trop Med Hyg* 2006; 100: 1019–24.
23. Maponga C, Ondari C. The quality of antimalarials—a study in selected African Countries. May, 2003. <http://apps.who.int/medicinedocs/pdf/s4901e/s4901e.pdf> (accessed Aug 1, 2009).
24. Minzi O, Moshi M, Hipolite D, et al. Evaluation of the quality of amodiaquine and sulphadoxine/ pyrimethamine tablets sold by private wholesale pharmacies in Dar Es Salaam, Tanzania. *J Clin Pharm Ther* 2003; 28: 117–22.
25. Newton P, Green M, Mildenhall D, et al. Poor quality vital anti-malarials in Africa—an urgent neglected public health priority. *Malar J* 2011; 10: 352.
26. Newton P, Proux S, Green M, et al. Fake artesunate in southeast Asia. *Lancet* 2001; 357: 1948–50.
27. Newton PN, Fernandez FM, Planacon A, et al. A collaborative epidemiological investigation into the criminal fake artesunate trade in South East Asia. *PLoS Med* 2008; 5: e32.
28. Nightingale CH. A survey of the quality of generic clarithromycin products from 18 countries. *Clin Drug Investig* 2005; 25: 135–52.
29. Ofori-Kwakye K, Asantewaa Y, Gay O. Quality of artesunate tablets sold in pharmacies in Kumasi, Ghana. *Trop J Pharm Res* 2008; 7: 1179–84.
30. Okeng JO, Owino E, Obua C. Chloroquine in the Ugandan market fails quality test: a pharmacovigilance study. *Afr Health Sci* 2003; 3: 2–6.
31. Okumura J, Taga M, Tey S, Kataoka Y, Nam N, Kimura K. High failure rate of the dissolution tests for 500-mg amoxicillin capsules sold in Cambodia: is it because of the product or the test method? *Trop Med Int Health* 2010; 15: 1340–6.
32. Onwujekwe O, Kaur H, Dike N, et al. Quality of anti-malarial drugs provided

by public and private healthcare providers in south-east Nigeria. *Malar J* 2009; 8: 22.

33. Prazuck T, Falconi I, Morineau G, Bricard-Pacaud V, Lecomte A, Ballereau F. Quality control of antibiotics before the implementation of an STD program in Northern Myanmar. *Sex Transm Dis* 2002; 29: 624–7.

34. SEARPharm Forum. Extent of Spurious (counterfeit) Medicines in India, 2007.

[Prepared in collaboration with Delhi Pharmaceutical Trust and with technical assistance from Apothecaries Foundation]

35. Sengaloundeth S, Green M, Fernandez F, et al. A stratified random survey of the proportion of poor quality oral artesunate sold at medicine outlets in the Lao PDR—implications for therapeutic failure and drug resistance. *Malar J* 2009; 8: 172.

36. Smine A, Diouf K, Blum N. Antimalarial drug quality in Senegal. 2002. http://pdf.usaid.gov/pdf_docs/PNACW987.pdf (accessed Dec 15, 2011).

37. Suleman S, Zeleke G, Deti H, Mekonnen Z, Duchateau L, Levecke B, Vercruysse J, D'Hondt M, Wynendaele E, De Spiegeleer B. Quality of medicines commonly used in the treatment of soil transmitted helminths and giardia in ethiopia: a nationwide survey. *PLoS Negl Trop Dis*. 2014 Dec 4;8(12):e33345.

38. Syhaxhang L, Lundborg CS, Lindgren B, Tomson G. The quality of drugs in private pharmacies in Lao PDR: a repeat study in 1997 and 1999. *Pharm World Sci* 2004; 26: 333–8.

39. Taberner P, Mayxay M, Culzoni MJ, Dwivedi P, Swamidoss I, Allan EL et al. A Repeat Random Survey of the Prevalence of Falsified and Substandard Antimalarials in the Lao PDR: A Change for the Better. *Am J Trop Med Hyg*. 2015 Jun;92(6 Suppl):95-104.

40. Taylor RB, Shakoor O, Behrens RH, Everard M, Low AS, Wangboonskul J, Reid RG, Kolawole JA. Pharmacopoeial quality of drugs supplied by Nigerian pharmacies. *Lancet* 2001; 357: 1933–6.

41. Tipke M, Diallo S, Coulibaly B, et al. Substandard anti-malarial drugs in Burkina Faso. *Malar J* 2008; 7: 95.



42. Trefi S, Gilard V, Malet-Martino M, Martino R. Generic ciprofloxacin tablets contain the stated amount of drug and different impurity profiles: a ¹⁹F, ¹H and DOSY NMR analysis. *J Pharm Biomed Anal* 2007; 44: 743–54.
43. Twagirumukiza M, Cosijns A, Pringels E, Remon JP, Vervaet C, Van Bortel L. Influence of tropical climate conditions on the quality of antihypertensive drugs from Rwandan pharmacies. *Am J Trop Med Hyg* 2009; 81: 776–8.
44. United States Pharmacopeia. Survey of the quality of selected antimalarial medicines circulating in Madagascar, Senegal, and Uganda. Nov, 2009. (http://www.usaid.gov/our_work/global_health/hs/publications/qamsa_report_1109.pdf (accessed July 15, 2011)).
45. Weir RE, Zaidi FH, Charteris DG, Bunce C, Soltani M, Lovering AM. Variability in the content of Indian generic ciprofloxacin eye drops. *Br J Ophthalmol* 2005; 89: 1094–6.
46. WHO. Survey of the quality of selected antimalarial medicines circulating in six countries of Sub-Saharan Africa. Jan, 2011. http://www.who.int/medicines/publications/WHO_QAMSA_report.pdf (accessed July 15, 2011).
47. Yeung S, Lawford HL, Taberner P, Nguon C, van Wyk A, Malik N, DeSousa M et al. Quality of antimalarials at the epicenter of antimalarial drug resistance: results from an overt and mystery client survey in Cambodia. *Am J Trop Med Hyg*. 2015 Jun;92(6 Suppl):39-50.