

**NATIONAL INSTITUTE OF BIOLOGICALS**  
(Ministry of Health & Family Welfare)

**Biological Products Test Reports Released**

Date: 10.01.2017

**Blood Products Lab**

S. No	Name of the Product	Manufacturer	Lot / Batch No.	Expiry Date	Date of receipt of Sample	Date of release of report	Report Dispatch No.	Result (Standard Quality / Not of Standard Quality)	Remarks
1	Albunorm 5%, 250 ml, 50g/l, Human Albumin	Octapharma Produktionsgesellschaft Deutschland MbH, Germany	P632B6641	7.2019	02.12.2016	03.01.2017	N.3-545/2016-SRRD/BP	Standard Quality	Nil
2	Albumin (Human) 25% Solution, AlbuRx 25, 100ml	CSL Behring AG, Switzerland	4362500034	06.02.2019	05.12.2016	03.01.2017	N.3-546/2016-SRRD/BP	Standard Quality	Nil
5	Human Albumin 20% EP, 100ml	M/s Baxter AG, Austria	PAA1R137	6.2019	01.12.2016	22.12.2016	N.3-544/2016-SRRD/BP	Standard Quality	Nil
6	Replenine-VF 500 IU (High purity factor IX)	Bio Products Laboratory Ltd., U.K	FJS16172	31.05.2019	17.11.2016	30.12.2016	N.3-527/2016-SRRD/BP	Standard Quality	Nil
7	Human Albumin 20% EP, 100ml	M/s Baxter AG, Austria	PAA1R108	5.2019	31.10.2016	15.12.2016	N.3-496/2016-SRRD/BP	Standard Quality	Nil
8	Human Albumin 20% EP, 100ml	M/s Baxter AG, Austria	PAA1R109	5.2019	31.10.2016	07.12.2016	N.3-497/2016-SRRD/BP	Standard Quality	Nil

**NATIONAL INSTITUTE OF BIOLOGICALS**  
(Ministry of Health & Family Welfare)

**Biological Products Test Reports Released**

9	Human Albumin 20% EP, 100ml	M/s Baxter AG, Austria	PAA1R118	5.2019	31.10.2016	07.12.2016	N.3-498/2016-SRRD/BP	Standard Quality	Nil
10	Human Albumin 20% EP, 100ml	M/s Baxter AG, Austria	PAA1R100	4.2019	27.10.2016	07.12.2016	N.3-492/2016-SRRD/BP	Standard Quality	Nil
11	Human Normal Albumin IP 20%, Total Protein, 100ml	Reliance Life Sciences Pvt. Ltd., Navi Mumbai	AM20G16016	9.2019	09.11.2016	03.01.2017	N.3-510/2016-SRRD/BP	Standard Quality	Nil
12	Human Albumin 20% EP, 100ml	M/s Baxter AG, Austria	PAA1R107	5.2019	27.10.2016	07.12.2016	N.3-495/2016-SRRD/BP	Standard Quality	Nil
13	Human Albumin 20% EP, 100ml	M/s Baxter AG, Austria	PAA1R117	5.2019	15.11.2016	19.12.2016	N.3-514/2016-SRRD/BP	Standard Quality	Nil
14	Human Albumin 20% EP, 100ml	M/s Baxter AG, Austria	PAA1R103	5.2019	15.11.2016	19.12.2016	N.3-513/2016-SRRD/BP	Standard Quality	Nil
15	Human Albumin 20% EP, 100ml	M/s Baxter AG, Austria	PAA1R101	5.2019	15.11.2016	19.12.2016	N.3-512/2016-SRRD/BP	Standard Quality	Nil
16	Human Albumin 20% EP, 100ml	M/s Baxter AG, Austria	PAA1R102	5.2019	27.10.2016	07.12.2016	N.3-493/2016-SRRD/BP	Standard Quality	Nil

**NATIONAL INSTITUTE OF BIOLOGICALS**  
(Ministry of Health & Family Welfare)

**Biological Products Test Reports Released**

17	Human Albumin 20% EP, 100ml	M/s Baxter AG, Austria	PAA1R106	5.2019	27.10.2016	07.12.2016	N.3-494/2016-SRRD/BP	Standard Quality	Nil
18	AlbuRel 10g (Human Normal Albumin I.P 20% Solution 50 ml)	Reliance Life Sciences Pvt. Ltd., Navi Mumbai	2B20000363	7.2019	16.12.2016	06.01.2017	N.3-570/2016-SRRD/BP	Standard Quality	Nil
19	EMOCLOT 250 IU/5ml, Anti-Haemophilic Factor VIII	Kedrion SPA, Italy	441620	7.2019	09.11.2016	06.01.2017	N.3-503/2016-SRRD/BP	Standard Quality	Nil
20	FEIBA STIM 4, 500 Feiba Units, Anti-inhibitor-Coagulant Complex Steam treated	Baxter A.G, Austria	VNF2R074	31.08.2018	29.11.2016	20.12.2016	N.3-536/2016-SRRD/BP	Standard Quality	Nil
21	Human Albumin 20% EP, 100ml	M/s Baxter AG, Austria	PAA1R127	6.2019	01.12.2016	23.12.2016	N.3-542/2016-SRRD/BP	Standard Quality	Nil
22	Human Albumin 20% EP, 100ml	M/s Baxter AG, Austria	PAA1R134	6.2019	01.12.2016	23.12.2016	N.3-543/2016-SRRD/BP	Standard Quality	Nil

**NATIONAL INSTITUTE OF BIOLOGICALS**  
(Ministry of Health & Family Welfare)

**Biological Products Test Reports Released**  
**Infection Diagnostic Lab**

S. No	Name of the Product	Manufacturer	Lot / Batch No.	Expiry Date	Date of receipt of Sample	Date of release of report	Report Dispatch No.	Result (Standard Quality / Not of Standard Quality)	Remarks
1	Determine™ HBsAg	Alere Medical Co. Ltd., Japan	76851K100A	24.02.2018	30.11.2016	26.12.2016	N.1-316/2016-SRRD/IDKL	Standard Quality	Nil
2	Determine™ HIV -1/2	Alere Medical Co. Ltd. Japan	77308K100A	13.03.2018	27.10.2016	16.11.2016	N.1-278/2016-SRRD/IDKL	Standard Quality	Nil
3	HBsAg II	Roche Diagnostics GmbH, Germany	183332-01	6.2017	16.11.2016	26.12.2016	N.1-295/2016-SRRD/IDKL	Standard Quality	Nil
4	HBsAg II quant II	Roche Diagnostics GmbH, Germany	157217-01	2.2017	19.10.2016	28.11.2016	N.1-268/2016-SRRD/IDKL	Standard Quality	Nil
5	HIV -1/2 Rapid Test	Medsource Ozone Biomedicals Pvt. Ltd., Haryana	HIVC-011116	10.2018	07.12.2016	06.01.2017	N.1-320/2016-SRRD/IDKL	Standard Quality	Nil
6	HIV -1/2 Rapid Test	Medsource Ozone Biomedicals Pvt. Ltd., Haryana	HIVC-021116	10.2018	07.12.2016	06.01.2017	N.1-321/2016-SRRD/IDKL	Standard Quality	Nil

**NATIONAL INSTITUTE OF BIOLOGICALS**  
(Ministry of Health & Family Welfare)

**Biological Products Test Reports Released**

7	HIV -1/2 Rapid Test	Medsorce Ozone Biomedicals Pvt. Ltd., Haryana	HIVC-031116	10.2018	07.12.2016	06.01.2017	N.1-322/2016-SRRD/IDKL	Standard Quality	Nil
8	4HBsAg Rapid Test	Medsorce Ozone Biomedicals Pvt. Ltd., Haryana	HBSC-011116	10.2018	07.12.2016	06.01.2017	N.1-323/2016-SRRD/IDKL	Standard Quality	Nil
9	HBsAg Rapid Test	Medsorce Ozone Biomedicals Pvt. Ltd., Haryana	HBSC-021116	10.2018	07.12.2016	06.01.2017	N.1-324/2016-SRRD/IDKL	Standard Quality	Nil
10	HBsAg Rapid Test	Medsorce Ozone Biomedicals Pvt. Ltd., Haryana	HBSC-031116	10.2018	07.12.2016	06.01.2017	N.1-325/2016-SRRD/IDKL	Standard Quality	Nil
11	VIDAS® HBc IgM II	Biomerieux, S.A., France	1005174150	08.09.2017	28.11.2016	27.12.2016	N.1-313/2016-SRRD/IDKL	Standard Quality	Nil

**Biochemical Kits Lab**

S. No	Name of the Product	Manufacturer	Lot / Batch No.	Expiry Date	Date of receipt of Sample	Date of release of report	Report Dispatch No.	Result (Standard Quality / Not of Standard Quality)	Remarks
1	KRIOSE Rightest GS700 Blood Glucose Test Strip (2x25 Test Strips)/pack	Bionime Corporation Daqing Factory, Taiwan	211680504	6.2018	09.11.2016	28.12.2016	N.9-205/2016-SRRD/BCL	Standard Quality	Nil

**NATIONAL INSTITUTE OF BIOLOGICALS**  
(Ministry of Health & Family Welfare)

**Biological Products Test Reports Released**

2	SUGARCHEK Advance, Blood Glucose Test Strips, 06 x 50 Strips	TaiDoc Technology Corporation, Taiwan	TD16F101-CIF	30.06.2018	02.11.2016	06.12.2016	N.9-173/2016-SRRD/BKL	Standard Quality	Nil
3	KRIOSE Rightest GS700 Blood Glucose Test Strip (2x25 Test Strips)/pack	Bionime Corporation Daqing Factory, Taiwan	211680503	6.2018	09.11.2016	28.12.2016	N.9-204/2016-SRRD/BCL	Standard Quality	Nil
4	KRIOSE Rightest GS700 Blood Glucose Test Strip (2x25 Test Strips)/pack	Bionime Corporation Daqing Factory, Taiwan	211680807	6.2018	09.11.2016	28.12.2016	N.9-206/2016-SRRD/BCL	Standard Quality	Nil
5	SD CodeFree Plus (Simply Accurate!) Blood Glucose Test Strip, 50 Test Strips	SD Biosensor, Republic of Korea	S0316128-1	09.08.2018	18.10.2016	06.12.2016	N.9-192/2016-SRRD/BCL	Standard Quality	Nil
6	SUGARCHEK Advance, Blood Glucose Test Strips, 06 x 50 Strips	TaiDoc Technology Corporation, Taiwan	TD16F101-CJG	30.06.2018	02.11.2016	06.12.2016	N.9-172/2016-SRRD/BKL	Standard Quality	Nil

**NATIONAL INSTITUTE OF BIOLOGICALS**  
(Ministry of Health & Family Welfare)

**Biological Products Test Reports Released**

**Recombinant Products Lab**

S. No	Name of the Product	Manufacturer	Lot / Batch No.	Expiry Date	Date of receipt of Sample	Date of release of report	Report Dispatch No.	Result (Standard Quality / Not of Standard Quality)	Remarks
1	Espogen 10,000 IU/ml	LG Life Sciences, Korea	<b>BFG16004</b>	04.07.2019	24.11.2016	02.01.2017	N.4-453/2016-SRRD/RP	Standard Quality	Nil
2	Tresiba FlexTouch, Insulin Degludec, 100 U/ml, 3 ml	Novo Nordisk A/S, Denmark	FP52589	11.2018	07.11.2016	07.12.2016	N.4-431/2016-SRRD/RP	Standard Quality	Nil
3	Tresiba FlexTouch, Insulin Degludec, 100 IU/ml	Novo Nordisk A/S, Denmark	FP52094	9.2018	16.09.2016	25.10.2016	N.4-369/2016-SRRD/RP	Standard Quality	Nil
4	Mixtard 50 HM Penfill, Biphasic Isophane insulin Injection IP, 100 IU/ml	Novo Nordisk A/S, Denmark	FR60R90	11.2018	16.09.2016	25.10.2016	N.4-367/2016-SRRD/RP	Standard Quality	Nil
5	Lantus, 100 IU/ml, 3 ml, Insulin Glargine Injection	Sanofi Aventis Pharma Deutschland GmbH, Germany	6F092A	5.2019	23.11.2016	05.01.2017	N.4-448/2016-SRRD/RP	Standard Quality	Nil
6	Lantus, 100 IU/ml, 3 ml, Insulin Glargine Injection	Sanofi Aventis Pharma Deutschland GmbH, Germany	6F047A	3.2019	23.11.2016	05.01.2017	N.4-446/2016-SRRD/RP	Standard Quality	Nil

**NATIONAL INSTITUTE OF BIOLOGICALS**  
**(Ministry of Health & Family Welfare)**

**Biological Products Test Reports Released**

<b>7</b>	Lantus, 100 IU/ml, 3 ml, Insulin Glargine Injection	Sanofi Aventis Pharma Deutschland GmbH, Germany	6F057B	4.2019	23.11.2016	05.01.2017	N.4-447/2016-SRRD/RP	Standard Quality	Nil
<b>8</b>	Tresiba FlexTouch, Insulin Degludec, 100 U/ml, 3 ml	Novo Nordisk A/S, Denmark	FP52424	11.2018	21.10.2016	07.12.2016	N.4-417/2016-SRRD/RP	Standard Quality	Nil